



Panchro/i Classic FF T2.2 Primes | Basic specification

Specifications	18mm*	21mm	25mm	27mm	32mm	40mm
T-Stop range	T2.2 - T22	T2.2 - T22	T2.2 - T22	T2.2 - T22	T2.2 - T22	T2.2 - T22
Angular rotation of iris scale	90°	90°	90°	90°	90°	90°
Min. marked object distance	300 mm	300 mm	350 mm	350 mm	350 mm	350 mm
	11 in	11 in	13 in	13 in	13 in	13 in
Angular rotation to MOD endstop	270°	270°	270°	270°	270°	270°
Length from front of lens to PL lens mount	127 mm	127 mm	125 mm	127 mm	110 mm	103 mm
	5 in	5 in	4.9 in	5.0 in	4.3 in	4.1 in
Max. front diameter	110 mm	110 mm	110 mm	110 mm	110 mm	110 mm
	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in
Max. diagonal angle of view for FF format	100°	92°	82°	78°	68°	57°
Max. diagonal angle of view for S35 format at 30mm image diagonal	80°	72°	62°	58°	50°	41°
Total weight (with PL lens mount)	2.2 kg	1.9 kg	2.0 kg	2.1kg	1.9 kg	1.5 kg
	4.8 lbs	4.1 lbs	4.4 lbs	4.6 lbs	4.1 lbs	3.3 lbs
Screw-in filter	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75
Maximum format cover	Full Frame, optimised for coverage of 43.3 mm					
Focus scales	Imperial or Metric scales marked from infinity to MOD					
Focus drive gear	140 teeth 0.8 metric module					
Iris scales	Two opposing linear T-scales - whole and third stops marked					
Iris drive gear	134 teeth 0.8 metric module					
Mount	PL or LPL					

Continued on next page →

***Some specification subject to change**



Panchro/i Classic FF T2.2 Primes | Basic specification

Specifications	50mm	65mm Macro	75mm	100mm	135mm	152mm
T-Stop range	T2.2 - T22	T2.4 - T22	T2.2 - T22	T2.6 - T22	T2.8 - T22	T3.0 - T22
Angular rotation of iris scale	90°	90°	90°	90°	90°	90°
Min. marked object distance	400 mm	325 mm	700 mm	600 mm	850 mm	1,100 mm
	16 in	13 in	2 ft 6 in	2 ft	2 ft 9 in	3 ft 6 in
Angular rotation to MOD endstop	270°	270°	270°	270°	270°	270°
Length from front of lens to PL lens mount	113 mm	199 mm	155 mm	161 mm	168 mm	168 mm
	4.4 in	7.8 in	6.1 in	6.3 in	6.6 in	6.6 in
Max. front diameter	110 mm	110 mm	110 mm	110 mm	110 mm	110 mm
	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in	4.3 in
Max. diagonal angle of view for FF format	47°	37°	32°	25°	18°	16°
Max. diagonal angle of view for S35 format at 30mm image diagonal	33°	27°	22°	16°	13°	12°
Total weight (with PL lens mount)	1.4 kg	2.8 kg	1.8 kg	1.8 kg	2.1 kg	2.1 kg
	3 lbs	6.1 lbs	3.9 lbs	3.9 lbs	4.6 lbs	4.6 lbs
Screw-in filter	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75	M105 x 0.75
Maximum format cover	Full Frame, optimised for coverage of 43.3 mm					
Focus scales	Imperial or Metric scales marked from infinity to MOD					
Focus drive gear	140 teeth 0.8 metric module					
Iris scales	Two opposing linear T-scales - whole and third stops marked					
Iris drive gear	134 teeth 0.8 metric module					
Mount	PL or LPL					