



## AP3 | Basic specification

Specifications	35mm	50mm	85mm
T-Stop range	T2.4 - T16	T2.4 - T16	T2.4 - T16
Angular rotation of iris scale	79°	79°	79°
Min. marked object distance	500 mm	600 mm	900 mm
	20 in	2 ft	3 ft
Close focus from lens front	329 mm	440 mm	713 mm
	13 in	15.7 in	28.1 in
Angular rotation to MOD endstop	160°	160°	160°
Length from front of lens to lens mount (E - Mount)	153 mm	142 mm	159 mm
	6.02 in	5.59 in	6.65 in
Max. front diameter	87 mm	87 mm	87 mm
	3.42 in	3.42 in	3.42 in
Max. angle of view (Horizontal) for FF (36 x 24mm Format)	85°	64°	39°
Max. angle of view (Vertical) for FF (36 x 24mm Format)	38°	27°	16°
Total weight (with lens mount)	1279 g	1177 g	1410 g
	2.8 lbs	2.6 lbs	3.1 lbs
Screw-in filter	M82 x 0.75	M82 x 0.75	M82 x 0.75

Maximum format cover	Full Frame, optimised for coverage of 43.3mm
Focus scales	Dual Focus Non-Linear scales - Imperial and Metric, scales marked from infinity to MOD
Focus drive gear	99 teeth 0.8 Metric Module
Iris scales	Non-Linear scale, whole and third stops marked
Iris drive gear	99 teeth 0.8 Metric Module
Mount	E, RF, L, M (RF-mount, L-mount and M-mount ordered separately)

Comes with E-mount installed, and additional free mount per lens (RF-, L- or M-mount) is available to order from Cooke website following instructions in the packaging.